

BMP: NITROGEN MANAGEMENT PROJECT – Upgrading Seeder Equipment

Upgrading Seeder Equipment to Allow for Banding / Side Dressing / Injection of Fertilizer – \$200/ft, or 50% of purchase price, whichever is less (up to \$15,000).
 Equipment Upgrades must be accompanied by another PWCP-funded practice (previous PWCP-funded projects count as accompanying);
 OR the applicant must report on the change in nitrogen fertilizer use (fertilizer rates before and after the equipment upgrade).

By checking and initialing, I confirm that the following is true:

This project is a new practice for my operation, or it is an expansion of a practice that I have implemented on new land/acres than previous years. _____ Initials

Equipment Type	Upgrade Type (side banding, side dressing or Injection of Fertilizer)	Vendor	Invoice #	Total Cost	Equipment Width	Costs (\$200/ft)
If no accompanying practice, fill out the Appendix A1 Form		Upgrading Seeder Equipment Totals:		In-Kind	Total Claim	

Accompanying practice? _____ Year & Type of accompanying practice? **Applicant Initials**

Costs are: Actual & not quotes Verified by staff: _____ staff initial

Why are you implementing this practice?

OFFICE USE

File #		Total Acres	
Project Type	NM—Equip Upgrades	Total In-Kind	
Sub-District		Total Eligible Costs	